Equine Thermography in Practice

Table of Contents

- : About the Authors
- : Acknowledgements
- : Glossary
- : Introduction
- 1: Principles of Equine Thermography
- 1.1: Thermography
- 1.2: Methods for measuring infrared radiation
- 1.3: Principles of infrared radiation
- 1.4: The thermographic image
- 1.5: Thermographic imaging technology
- 1.6: Thermography as a diagnostic tool in equine medicine
- 1.7: Normal body surface temperature distribution of the horse
- 1.7.1: Anatomical structure
- 1.7.2: Subcutaneous tissue
- 1.7.3: Muscle tissue
- 1.7.4: Hair coat
- 1.7.5: Season of the year
- 2: Fundamentals of Thermographic Examination
- 2.1: Procedures for thermographic examination, including the impact of environmental conditions
- 2.1.1: Preparing a room for thermographic examination
- 2.1.2: Preparing a horse for thermographic examination
- 2.1.3: Interview with the horse owner
- 2.2: Taking images of the horse
- 2.2.1: Thermographic protocol
- 2.2.2: Correct positioning of the horse and camera
- 2.2.3: Sample thermographic images
- 2.2.3.1: Lateral aspect of the horse
- 2.2.3.2: Distal forelimbs
- 2.2.3.3: Distal hindlimbs
- 2.2.3.4: Shoulder area
- 2.2.3.5: Croup area
- 2.2.3.6: Chest area
- 2.2.3.7: Neck area
- 2.2.3.8: Head area
- 2.2.3.9: Back area
- 2.3: Most frequently made errors in thermographic imaging
- 3: Interpretation of Thermographic Images and the Normal Superficial Temperature Distribution of the Horse
- 3.1: Thermography analysis for veterinary or prophylactic purposes
- 3.2: Analysis of symmetry and repeatability of body surface temperature distribution in contralateral body areas of the horse
- 3.2.1: Determination of body surface temperature differences between symmetrical body areas or regions of interest (ROIs)

- 3.2.2: Determination of body surface temperature along linear ROIs or at specific points on the body surface
- 3.2.3: Interpretation of thermograms
- 3.2.3.1: Distal forelimbs and hindlimbs
- 3.2.3.2: Back area
- 3.2.3.3: Shoulder area
- 3.2.3.4: Neck area
- 3.2.3.5: Head area
- 3.2.3.6: Croup area
- 3.2.3.7: Chest area
- 3.2.4: What should be considered in thermographic image interpretation?
- 3.2.5: Thermographic reports
- 4: Development of Equine Thermography and its Use in Equestrianism
- 4.1: Development of thermography in equine veterinary medicine
- 4.2: Use of thermography in equestrianism
- 4.2.1: Use of thermography to monitor horse welfare
- 4.2.2: Use of thermography to assess saddle fit
- 4.2.3: Use of thermography to assess hoof function
- 4.3: Use of thermography to assess racing performance
- 5: Use of Thermography in Physiotherapy
- 5.1: Thermography applications in equine physiotherapy
- 5.2: Manual assessment of the horse
- 5.2.1: Head area
- 5.2.1.1: Skeletal system
- 5.2.1.2: Muscular system
- 5.2.1.3: Indicators of a problem
- 5.2.1.4: Manual and visual assessment of the head 64
- 5.2.2: Neck area
- 5.2.2.1: Skeletal system
- 5.2.2.2: Muscular system
- 5.2.2.3: Indicators of a problem
- 5.2.2.4: Manual and visual assessment of the neck
- 5.2.3: Forelimb area
- 5.2.3.1: Skeletal system
- 5.2.3.2: Muscular system
- 5.2.3.3: Indicators of a problem
- 5.2.3.4: Manual and visual assessment of the forelimb
- 5.2.4: Back area
- 5.2.4.1: Skeletal system
- 5.2.4.2: Muscular system
- 5.2.4.3: Indicators of a problem
- 5.2.4.4: Manual and visual assessment of the back
- 5.2.5: Hindlimb area
- 5.2.5.1: Skeletal system
- 5.2.5.2: Muscular system
- 5.2.5.3: Indicators of a problem
- 5.2.5.4: Manual and visual assessment of the hindlimb
- 5.3: Muscle function
- 5.3.1: Linked muscle function
- 5.3.2: Antagonistic muscle function

- 5.3.3: Diagonal limb muscle function •
- 5.4: Dysfunction of the musculoskeletal system: summary
 6: Recommendations for Thermography Application
- : References
- : Appendix 1: Equine Thermographic Examination Questionnaire
- : Index